

Work Order ID 81994

81994

Page 1

March 21, 2012 1:51:31 PM

Item ID: D6101-007 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Saddle Billet
 Start Date: 3/21/12 Start Qty: 40.00 ***40*** Cust Item ID:
 Required Date: 4/06/12 Req'd Qty: 40.00 ***40*** Customer:
 Reference:

Approvals: Process Plan: CL Date: 12/03/21 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D6101	Rev B								

100 PURCHASING 0.00

100

Purchasing

Purchasing

Memo

Issue P/O: 16517

a) Description: Alluminum billet

b) 7.750" x 8.250" x 2.50" thick

c) Tolerance on all dimensions are +0.030"/-0.000"

d) Grain direction along 7.750" length

e) Material: 7075-T7351 (QQ-A-250/12)

f) Material certification required

CL 12/03/21

110 Receive & Inspect for Damage & Mat'l Certs 0.00

110

Packaging

Packaging

Memo

Ensure material certification is attached

CL 4/10/12 (90)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 81994

81994

Page 2

March 21, 2012 1:51:31 PM

Item ID: D6101-007 Accept *N9000040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Saddle Billet
 Start Date: 3/21/12 Start Qty: 40.00 *40* Cust Item ID:
 Required Date: 4/06/12 Req'd Qty: 40.00 *40* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control	QC6- Inspect dimensions to drawing Memo Ensure Material certification comply to Dwg D6101	0.00 0.00	anL12/04/06			40	0		
130 *130* Packaging Packaging	Identify as per dwg & Stock Location: <u>12T40</u> Memo	0.00 0.00	anL12/04/06			40	0		
140 *140* QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.00							12/4/10 me 12-04-07

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

March 21, 2012 1:51:31 PM

Page 1

Work Order ID: 81994

Parent Item: D6101-007

Parent Item Name: Saddle Billet

Start Date: 3/21/12

Required Date: 4/06/12

Start Qty: 40.00

Required Qty: 40.00

Comments: IPP A: 01.05.04New IssueC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-007P		Purchased	No			110	Each	0.0000	1	40			
7075-T7351 8.25X7.75X2.5													

Handwritten signature and date 3/21/12

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

SPECIFICATION CONTROL DRAWING



PURCHASE MATERIAL ACCORDING TO THE FOLLOWING TABLE. SPECIFY ALLOY, LENGTH x WIDTH x THICK (+0.030/-0.000), AND GRAIN DIRECTION AS SHOWN.

TOLERANCES ON ALL DIMENSIONS ARE +0.030/-0.000.

ALL DIMENSIONS ARE IN INCHES.

B ACCEPTABLE SPECIFICATIONS FOR 7075-T7351 ALUMINUM ARE AMS-QQ-A-250/12, QQ-A-250/12, OR ASTM B209

Part No.	Alloy	Length	Width	Thick	Grain Direction
D6101-001	7075-T7351 (QQ-A-250/12)	6.000	6.250	2.000	Along 6.000 Length
D6101-003	7075-T7351 (QQ-A-250/12)	7.875	6.250	2.000	Along 7.875 Length
D6101-005	7075-T7351 (QQ-A-250/12)	5.000	8.250	2.500	Along 5.000 Length
D6101-007	7075-T7351 (QQ-A-250/12)	7.750	8.250	2.500	Along 7.750 Length
D6101-009	7075-T7351 (QQ-A-250/12)	8.700	8.250	2.500	Along 8.700 Length
D6101-011	7075-T7351 (QQ-A-250/12)	9.700	8.250	2.500	Along 9.700 Length
D6101-013	7075-T7351 (QQ-A-250/12)	10.100	8.250	2.500	Along 10.10 Length
D6101-015	7075-T7351 (QQ-A-250/12)	9.450	6.250	2.500	Along 9.450 Length
D6101-017	7075-T7351 (QQ-A-250/12)	6.350	6.250	2.250	Along 6.350 Length

B

Cal 12/03/21
W/D: 8/994

RELEASED
09/07/15/W

B	ADDED D6101-015/-017, ADD ASTM B209	RF	09.04.23
A	NEW ISSUE	CP	01.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D6101	SHEET 1 OF 1
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	SADDLE BILLET, 7075	NTS
DATE	09.04.23	<small>COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

**Castle Metals®**

A. M. Castle & Co.

BORDEREAU DE MARCHANDISES

Page 1 of 2

No de Formulaire d'Emballage / Shipment No: 1258678

Expédié de / Ship From:		Vendu à / Sold To:		Expédié à / Ship To:		Livré à / Deliver To:	
A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		WILL CALL-MONTREAL 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		WILL CALL-MONTREAL 835 SELKIRK AVENUE POINTE CLAIRE, QC H9R 3S2 CA	
Date d'expédition / Date Shipped	F.O.B.	Modalités de transport / Freight Terms		Transporteur / Carrier		No du Bon de connaissance / BOL No	
04-APR-2012	ORIGIN	Prepaid		MANITOULIN		1258678-2	

Détails d'expédition / Shipment Details	Destination finale / Final Destination Branch - MON
------------------------------------------------	------------------------------------------------------------

N° de commande / Order No	N° de ligne Line No	N° d'article / Item No	Description	
2088264	3	752241.MO	2.5000.PL.7075.T7351.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 8.25 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 7.75")) X 7.75 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 7.75")) - ALUMINUM PLATE SAW SPECIFICATIONS: QQ-A-250/12	
N° de bon de commande / Purchase Order No	Nbre de pièces / Part Number		Qté commandée / Ordered Qty	Qté Facturée / Invoice Qty
16517	YOUR ITEM NUMBER: D6101-007		40.00 PCS	40.0000 PCS

Détails / Details							
N° de livraison / Delivery No :	Usine / Mill	N° de coulée / Heat Number	Code méc / Mech Id	Pièce s / PCS	Largeur (Pouce)/ Width (IN)	Longueur (Pouce)/ Length (IN)	Qté expédiée/ Shipped Qty(LBS)
117493210		572947A0		5			82.66
117493210		569096A1		35			578.61

Ces marchandises/technologies sont sujettes aux règlements de l'Export Administration et du département d'état des États-Unis. Si elles ont été/sont exportées, elles doivent se conformer à ces règlements. Toute modification du contrat de transport contraire aux lois des États-Unis est interdite.

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

Nous certifions par la présente que le matériel couvert par cette certification est conforme aux spécifications susmentionnées et aux exigences applicables pour le matériel, y compris toute spécification faisant partie de la description. Les rapports d'essai sont archivés pour fins de consultation. Toute requête concernant du matériel défectueux sera rejetée à moins qu'elle ne soit faite par écrit à A. M. Castle & Co. dans les 60 jours suivant la livraison. Le matériel coupé sur mesure ou coupé par le client ne peut être retourné pour crédit.

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.

Date Printed: 04-APR-2012 01:47:07 PM

SHIP TO:

A M CASTLE & CO
3050 SOUTH HYDRAULIC
WICHITA, KS 67216

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

CERTIFIED TEST REPORT

Serial Number

4250487

CUSTOMER PO NUMBER: 134472		WORK PACKAGE:	CUSTOMER PART NUMBER: 752241 AMC CA-15413B R 3		SHIP RUN/LOAD: 102217/10	GOV'T CONTRACT NUMBER:
KAISER ORDER NO: 1124704	LINE ITEM: 1	SHIP DATE: 10-JAN-2012	ALLOY: 7075	CLAD: BARE	TEMPER: T7351	PRODUCT DESCRIPTION: Sawed Plate
WEIGHT SHIPPED: 7164 LB	QUANTITY: 4 PCS EST.	B/L NUMBER: 2035227	GAUGE: 2.5000 IN	DIAMETER/WIDTH: 48.500 IN		LENGTH: 144.500 IN

MHU 1556670: LOT 572947A0: 2 pieces;

MHU 1556676: LOT 569096A1: 2 pieces;

Certified Specifications

AMS 4078/RevJ
ASTM B 209/Rev10
BSS 7055/RevA
DPS 4.713/RevAH
GSS16100/RevG/Amd1

AMS-QQ-A-250/12
ASTM B 594/Rev09
CMMP 025/RevT
EAC MS1011/RevE
MMS 159/RevR

AMS-STD-2154/Rev98
BAC 5439/RevH
CSTI 006/RevD
GAMPS 9101/RevB
PS 21211/RevL

Test Code: 4297

Test Results

Lot: 569096A1 Cast 445

Drop 16

Ingot 3

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	70.5 : 70.6 (486 : 487)	59.3 : 59.8 (409 : 412)	11.2 : 11.8

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	40.9 Min	41.7 Max
(MS/M) :	23.7 Min	24.2 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.09	0.19	1.4	0.04	2.4	0.20	5.6	0.03	0.01	0.01	TOT 0.05



KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4250487

Lot: 572947A0 Cast 445 Drop 37 Ingot 2 Melted in USA

(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	70.4 : 70.5 (485 : 486)	59.1 : 59.3 (407 : 409)	11.7 : 11.8

(ASTM E1004)
(EN 2004-1)

Conductivity %IACS :	41.1 Min	41.4 Max
(MS/M) :	23.8 Min	24.0 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.07	0.17	1.4	0.06	2.5	0.20	5.8	0.03	0.01	0.01	TOT 0.05

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

TEST NOTES

Metal represented by this test report was 100% immersion ultrasonically tested from one side and meets the Class A and Class B requirements of all specifications referenced on this test report.

CERTIFICATION

KAISER ALUMINUM FABRICATED PRODUCTS, LLC (KAISER) HEREBY CERTIFIES THAT METAL SHIPPED UNDER THIS ORDER WAS MELTED IN THE UNITED STATES OF AMERICA OR A QUALIFYING COUNTRY PER DFARS 225.872-1(a), WAS MANUFACTURED IN THE UNITED STATES OF AMERICA, AND MEETS THE REQUIREMENTS OF DFARS 252.225 FOR DOMESTIC CONTENT. THIS MATERIAL HAS BEEN INSPECTED, TESTED, AND FOUND IN CONFORMANCE WITH THE REQUIREMENTS OF THE APPLICABLE SPECIFICATIONS AS INDICATED HEREIN. ALL METAL WHICH IS SOLUTION HEAT TREATED COMPLIES WITH AMS 2772. ANY WARRANTY IS LIMITED TO THAT SHOWN ON KAISER'S STANDARD GENERAL TERMS AND CONDITIONS OF SALE. TEST REPORTS SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF KAISER ALUMINUM FABRICATED PRODUCTS, LLC LABORATORY. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTIRETS ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. ISO-9001:2000 CERTIFIED.

Mike Klocke

MIKE KLOCKE, LABORATORIES SUPERVISOR

